

SMART SPIDER ASCENDERS

ZERO

zeroheightsafety.com


SMART SPIDER ASCENDER KIT – RSP001

The Smart Spider Ascender Kit RSP001, includes a case, 2 batteries and main power unit consisting of a aerospace light alloy material cover, a hard-wearing durable life, weighing just 14.3kg. Safe and comfortable to use, with a maximum weight capacity of 200kg and 330m of lifting height, the Ascender gives a smooth and stable ride. The Ascender has a Energy Block mode which allows charging protection and voltage protection, short circuit protection and also high/ low temperature functions. Unlimited adjustable speed handle, with fall arrest connect point, inner energy block and Wifi control, fast rope changing system which means the rope can be separated from the main device when transporting.



Features

- High Torque
- Mobile APP Remote
- Stop when releasing the button
- Fast charging
- Multiple Scenario
- 330m height
- 14.3kg weight
- CE Certification EN 1891
- Wifi window (Max, distance:100m)
- Battery capacity window (with remaining voltage)
- Variable Speed motor Drive
- (Power 1000W, Load 200kg)
- Manual release button (for descending without power)
- Batteries RSP001B are replaceable.



Name	Size [mm]	Weight [kg]	Material	Voltage	Rate of work	Climbing Height	Wifi (distance)	Speed Control	Max Load	Operating temperature
Smart Spider Pro RSP001	330-265-267-mm	14.3kg	Aviation Aluminium	36V	1000W	330m	100m	Variable Speed 0m/min-22m/min	200kg	-20°C – +50°C

SPIDER LIFT PRO

The Spider Lift Pro, is a lifting system for use on inanimate objects. The low noise, long life battery makes this automated rope lifting system ideal for furniture moving into high rise locations. The air cooling system makes work in high and low temperature locations possible. With speed changing gears, rope abrasion is reduced to a minimum allowing load capacity of up to 150kg. Durability is ensured with a Tesla Lithium battery. The Spider Lift Pro also has a high definition LCD screen.



Features

- Dust and waterproof
- High temperature resistance
- Air cooling system
- Safe maximum lifting 150kg
- Maximum speed 14m/min
- Rope diameter 12-14mm
- Working temperature of -25°C+40°C
- Remote Control
- Low noise
- Mobile APP Remote
- Long Battery Life



Name	Size [mm]	Weight [kg]	Material	Voltage	Rate of work	Climbing Height	Wifi (distance)	Speed Control	Max Load	Operating temperature
Spider Lift Pro	330-265-267-mm	12.6kg	Heavy Duty Plastic	36V	1000W	350m	100m	Variable Speed 0m/min-14m/min	150kg	-25°C – +40°C

Reimagine your boundaries;
we'll get you there.

ZERO HEIGHT SAFETY LIMITED

AUSTRALSIA

10 Holt Place,
Harewood, Christchurch 8053
New Zealand

sales@zeroheightsafety.com

EUROPE & UK

Badenerstrasse 122
5466 Kaiserstuhl,
Switzerland

sales.eu@zeroheightsafety.com



zeroheightsafety.com